



SOBNA VRATA



INFOhome



STANDARD
STYLE
SILVER
ELEGANCE
CLASSIC
ARTISTIC
COMFORT
ADVANCED
ADVANCED LUXURY
GLASS
SLIDE
V-LINE
PORTAL



STANDARD



Vrsta rama

Sofia / Roma / Frankfurt / Optima

Završna obrada

Dekorativna folija

CPL

Alkor

Furnir

RAL





4M



1V



2V



DV

Vrsta rama

Sofia / Roma / Frankfurt / Optima

Završna obrada

Dekoratívna folija

CPL

Alkor

Furnir

RAL



SILVER



1SH



6S



4S



2S

Vrsta rama

Sofia / Roma / Frankfurt / Optima

Završna obrada

Dekoratívna folija

CPL

Alkor

Furnir

RAL







ELEGANCE



ELEGANCE



5N



3N



1N



6N

Vrsta rama

Sofia / Roma / Frankfurt / Optima

Završna obrada

Dekorativna folija

CPL

Alkor

Furnir

RAL









CLASSIC





1R



5R



4R



6R

Vrsta rama

Sofia / Roma / Frankfurt / Optima

Završna obrada

Furnir

RAL







ARTISTIC



CL



HL



CH



CB

Vrsta rama

Sofia / Roma / Frankfurt / Optima

Završna obrada

RAL





NEW Y
INTERIORS
THE FASHIO



DESIGN IS NOT
WHAT YOU SEE
BUT WHAT YOU MAKE OTHERS SEE





3W



4SQ



4G



3G

Vrsta rama

Sofia / Roma / Frankfurt / Optima

Završna obrada

Dekorativna folija

CPL

Alkor

Furnir

RAL



ADVANCED



TW



PW



CW



RW

Vrsta rama

Sofia / Roma / Frankfurt / Optima

Završna obrada

Dekoratívna folija

CPL

Alkor

Furnir

RAL







BW



WF



FW



Vrsta rama

Sofia / Roma / Frankfurt / Optima

Završna obrada

CPL

Alkor

Furnir

RAL











GD2



GD9



GD6



GD1

Vrsta rama

Sofia / Roma



Završna obrada

Dekoratívna folija

CPL

Alkor

Furnir

RAL

SLIDE



Vrsta rama

Sofia / Roma / Optima

Završna obrada

CPL

Alkor

Furnir

RAL





V-LINE



Vrsta rama

Sofia / Roma / Optima

Završna obrada

Dekoratívna folija

CPL

Alkor

Furnir

RAL



PORTAL

CHUT
ON VEUT
DORMIR

PORTAL



PORTAL



Vrsta rama

Sofia / Roma / Frankfurt / Optima

Završna obrada

CPL

Alkor


Furnir

RAL






STYLE




2HM 2M 3M 4M 1VH 1V DV 2V

SILVER




2S 6S 3S 4S 1SH 1WS 2SD 2SV

ELEGANCE




1N 3N 4N 5N 2N 6N 8N

CLASSIC



5R 4R 3R 2R 1R 6R 8R 9R

ARTISTIC




CL

HL

CH

CB

COMFORT



1G

2G

3G

4G


4GM

3W

4SQ

SC

ADVANCED



RW


PW

CW

TW

AW

ADVANCED LUXURY



BW


FW

WF

/ ZAVRŠNA OBRADA

/ Dekorativna folija

Dekorativna folija, kao impregnacija na bazi kaljene smole i lakirani završni sloj, pogodna je za nameštaj, vrata, zidne panele itd.



WHITE



SNOW OAK



OAK



SOUTH
CHERRY



WALNUT



WENGE

/ Alkor

Alkor je dekorativna završna folija koja se koristi u enterijeru, bazirana na polipropilenu.

Izvanredne prednosti ovog materijala su bazirane na kombinaciji specijalne tehnike štampe i teksture kod koje se duboka porozna struktura i i štampani dezen savršeno uklapaju.



MELINGA WHITE



MAUNTAIN LARCH
CAPPUCINO




PAMLONA MELINGA



OAK MELINGA
GREY



OAK MELINGA
BROWN




WHITE



WHITE OAK



CHERRY



WALNUT



WENGE

/ CPL

CPL je obloga koja vratima pruža najbolju zaštitu. Otporna je na udare, abraziju i hemikalije. Vrata sa CPL oblogom su idealna za javne ustanove.

/ FURNIR

Završna obrada od prirodnog drveta. Vrata sa ovakvom obradom imaju jedinstvenu teksturu, jedinstvenu eleganciju i stil.



OAK



BEECH



WALNUT



GRAY




WENGE

/ RAL


Širok spektar boja za svačiji ukus koje kreiraju jedinstven stil i atmosferu svakog doma. Primenom moderne tehnologije, površina je otporna na vlagu i mehanička oštećenja.



S O F I A




/ Debljina 22mm



R O M A




/ Debljina 22mm



F R A N K F U R T



/ Debljina 44 mm




O P T I M A



/ Debljina 40 mm






Konstrukcija

Krilo vrata je konstruisano kao sendvič - obloga od standardnog HDF-a i standardne sačaste ili Sauerland ispune.


Materijali

1. Puno drvo
2. HDF - materijal visoke gustine i vodootporan materijal
3. Završna obrada: dekorativna folija, CPL, Alkor, furnir ili RAL
4. Ispuna: saće ili Sauerland

Ispuna




Sačasta ispuna u formi heksagonalnih ćelija.
Dužina stranice ćelije: 25-30 mm.
Debljina papira: 0,2 - 0,4 mm.




Sauerland olakšana ploča sa cilindričnim šupljinama.
Ova ispuna je karakterična po visokoj toplotnoj i zvučnoj izolaciji.


S T




E / G




S F




S Y M




/ SMER OTVARANJA




Desna vrata




Leva vrata




Desni portal



Levi portal



Desna klizna vrata



Leva klizna vrata

/ OSNOVNE MERE

